Missouri Botanical Garden

Peter H. Raven Library

George Engelmann Botanical Notebooks



Pagination Note:
Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.

Herb Kew Sept 1869

Opuntia Rafinesquii
Sask Kahchawan,
Bourgeau 1857

2 forms

1 a very large one, obovate or
transverse 1 inch 10 c diam, very
densely covered with very spreading
areoles — spines very numerous
and long yellow or light
yellow & brown

2, a very small form, 1 inch only
3 cent diam, all areoles spiniferous
but only ✱ on the upper half of the
joint are the spines stout & all black
a moth pr with obovate joints and
long slender whitish spines, somewhat
5–6 cent long was collected with the
Columbia Valley Opuntia. C. Wilkes
& Wilkes U.S. Ex, by Dr Lyall
June 1860

Opuntia fragilis of the Sask Kahchawan

Bourgeau

2553

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

O. rotundifolia Bot Mag. 2741-2

O. Dillenii, rcd from Prince Salm 1824
very long & stout bristles, but few
& not very stout spines — Branches
tuberculars

O. triacantha has small obovate joints
4 x 3 c. spines slender depressed

"O. ficus indica" is here figured with purple
style & deep orange flowers

"O. Tuna" in Pl. Succ. Dec. is certainly different
from what we call "Tuna" elongated
joints, and 1 or 2 spines

O. cornuscalleosa ibid is probably Ficus indica
although it has short spines

Kew Sept 1869

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

2554

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Hort Kew Sept 1869

"Opuntia Mexicana Salm" does not seem to differ from a stunted very spiny O. Brasiliensis — trunk terete. &c.



2555

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS



W. 2625 Op. marmarotte Fisch. Nepal / gesp. 5/2 Lindl. Pl. Jacquem. – Duthie Herb. Coll.

Hb Mus Paris 1869

0 1 2 3 4 5 6 7 8 9 10
cm

copyright reserved

MISSOURI BOTANICAL GARDEN

2556

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS



Hooker Sept 1869

Opuntia Brasiliensis, Bunkell R21 2

" 15 feet high " near Pt

Op. macrantha Gris. Wright 2625

but my name is earlier.

9

2557

MISSOURI
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

#6 Aroid Mexico Aug 1869

254 Opuntia triacantha, Antigua, W. Schlegel

small bodate joints 3×6 cent, 3 spines on most areolae, 2 or 3, terete, pale, ashy 1–3 cent long – a larger one (3 cent) subcent, 1–2 smaller ones deflexed.

flowers rather small, yellow with, 4–5 cent diam, stigmata 5 erect / ovary with tomentose, not hairy, areolae

Pereskia aculeata in fl. Hort Monac 1834



2558

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS



Cactaceae H. Martii

Aug 1869

"

3226. Opuntia Ficus Indica " ad tepes pr. Bondowosso Dec. 1846

Plantae Javanicae a cl. Zollingero lectae

Looks like a dark spined form of Op. Tuna, but no prominent setae!

Joint obovate 17 × 10 cent. areolae 4 cent apart orbicular, large, with light brown wool and numerous all spiny, spines about 5 — 3½ cent long, soft angular, dilatately pungent; several small ones beside

One flowered bud elevate, with 13–15 brown wooly but not hilly areolae

66. Opuntia Prov. St Paulo in sudenti

Mar 1855. leg G. A. Lindberg —

Stem rotten — fragment of a joint only, with single stout terete spines on many areolae, 2–4 cent long

2559

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

"Opuntia fulvispina" Kort Paris | March 24 1869

seems to be the plant I have taken for
O. corniifera - leaves large and un-
usually petalous

brown wool and many bristles in the axils
1-3 areolar at last apparently
deciduous spines.

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

2560

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS



Hort Kew Sept 1869

Opuntia polyantha ~~+~~ Hook: fl. carpellum usually seen;
& reddish. diam; 8 sepals, connate transverse,
obtuse, apex obovate; 8 sepals spatulate,
& greenish yellow spatulate — erect stigmata.



2561

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

Kew Aug 1869

Opuntia Darwinii Henslow, 49° South Lat.

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

2562

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS